# The problem of tracking $\tau$ leptons in Geant4

Christoph Alt

April 7, 2020 @ LArSoft coordination meeting

#### **Problem**

- GEANT v4\_10\_3\_p03e is currently used in larsoft and contains a bug in the decay of  $\tau$ 's (tau leptons)
- $\rightarrow$  The au daughter particle 4-momentum vectors are wrong, sometimes causes jobs to crash
  - This was found in the atmospheric neutrino background sample for proton decay and  $n\bar{n}$ -oscillation studies in DUNE, but concerns all events/samples in which  $\tau$ 's are present
  - Bug report 1: https: //bugzilla-geant4.kek.jp/show\_bug.cgi?id=2053
  - Bug report 2: https: //bugzilla-geant4.kek.jp/show\_bug.cgi?id=2061

### Example:

- 1.  $\tau^-$  with  $E_{\tau^-} \approx 3\,000\,\mathrm{MeV}$  decays into  $\pi^-$  with  $E_{\mathrm{kin},\;\pi^-} = 1.3\cdot 10^{18}\,\mathrm{MeV}$
- 2. G4EnergyRangeManager is called to choose an interaction model for the  $\pi^-$ :

```
64424 G4EnergyRangeManager:GetHadronicInteraction: counter=3, Ek=1.32623e+18, 64425 *0* low=12000, high=1e+08 64426 *1* low=9500, high=25000 64427 *2* low=0. high=9900
```

3. No model found for the  $\pi^-$ , GEANT4 throws exception:

```
64430 ===> GetHadronicInteraction: No Model found
64431
64432 ------ EEEE ------ G4Exception-START ------ EEEE -----
64433 *** G4Exception : had005
64434 issued by : G4HadronicProcess::PostStepDoIt
```

## Workaround in place

- When running GENIE through dunetpc, genie\_phyopt is called that forces GENIE to decay  $\tau$ 's via pythia before they are tracked in GEANT4
- We don't want to use this workaround for  $n\bar{n}$ -oscillation studies since we want to have the  $\tau$  track

## **Proposed solution**

- 'Short term' solution: move larsoft to GEANT v4\_10\_6\_p01
- $\rightarrow$  has many improvements and bug fixes, including the decay of au's (see Krzysztof's presentation)
  - But:  $\tau$ 's from neutrino CC interactions are polarized, which affects the momentum spectrum of the  $\tau$  daughter particles. GEANT4 does not take this into account.
- ightarrow Long term solution: track au in GEANT4, call external package for au decay (like TAUOLA), track au daughter particles in GEANT4

